Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	387	((device with authentication) and (operator with authentication))".ab" "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:50
L2	387	((device with authentication) and (operator with authentication))".ab. "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:50
L3	387	((device with authentication) and (operator with authentication))".ab. " and (Encrypted with key with exchange)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:51
L4	387	((device with authentication) and (operator with authentication))".ab. " and (Encrypted with key with exchange) and EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:51
L5	387	((device with authentication) and (operator with authentication))".ab. " and (Encrypted with key with exchange) and EKE AND CONSOLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:54
L6	387	((device with authentication) and (operator with authentication))".ab. " and (Encrypted with key with exchange) and EKE AND CONSOLE AND (SHARED WITH SECRET WITH KEY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:54
L7	387	((device with authentication) and (operator with authentication))".ab. " and (Encrypted with key with exchange) and EKE AND CONSOLE AND (SHARED WITH SECRET WITH KEY) AND (DEVICE WITH ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:55
L8	0	((device near1 authentication) and (operator near1 authentication)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:56
L9	2	((device near1 authentication) and (operator near1 authentication)). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:56

L10	0	((device near1 authentication) and (operator near1 authentication)). ab. and (device with id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:56
L11	0	((device near2 authentication) and (operator near2 authentication)). ab. and (device with id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:56
L12	2	((device near2 authentication) and (operator with authentication)).ab. and (device with id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:56
L13	5	((device with authentication) and (operator with authentication)).ab. and (device with id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:57
L14	70	((device with authentication) and (operator with authentication)) and (device with id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:04
L15	26	((device with authentication) and (operator with authentication)) and (device with id) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:01
L16	6	((device with authentication) and (operator with authentication)) and (device with id) and (encrypted with key with exchange)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:06
L17	1	((device with authentication) and (operator with authentication)) and (device with id) and (encrypted with key with exchange) and EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:06
L18	1	(device with authentication) and (device with id) and (encrypted with key with exchange) and EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:06
L19	47	(device with authentication) and (device with id) and (encrypted with key with exchange)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:07

L20	4	(device with authentication) and (device with id) and (encrypted with key with exchange) and operator and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:09
L21	22	(device with authentication) and (device with id) and (shared with secret with key with stored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(console with configuration) and (default with ID$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:33
		(ep-535863-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:40
		(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator and control$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:40
S1	0	(ibm near2 software near2 technical near2 document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:47
S2	1	(qconsole) and default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S3	4054	(device near2 authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S4	162	(device near2 authentication) and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S5	68	(device near2 authentication) and console and (user near2 authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:38
S6	409	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:39
S7	158	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:39

S8	149	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:40
S9	124	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator and control and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:40
S10	114	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:45
S11	0	iseries with console with security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:41
S12	2	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator and control and password and secure and eke	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:45
S13	114	(device near2 authentication) and (user near2 authentication) and encrypt$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:53
S14	79	(device near1 authentication) and (user near1 authentication) and encrypt$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:59
S15	4	(device near1 authentication) with (user near1 authentication) and encrypt$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:59
S16	0	((device near1 authentication) with (operator near1 authentication)) and encrypt$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00
S17	0	((device near1 authentication) with (operator near1 authentication)) and encrypt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00

S18	7	((device near1 authentication) and (operator near1 authentication)) and encrypt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01
S19	12	((device near1 authentication) and (operator near1 authentication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:31
S20	1127	(console near1 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:32
S21	2	("5241299").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:33
S22	0	(cryptographic with protocol with for with secure with communications).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:34
S23	3	(cryptographic with protocol with secure with communications).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:37
S24	0	(cryptographic with protocol with secure with communications).ti. and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:38
S25	18736	(cryptographic with protocol with secure with communications).ti. an	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:38
S26	0	(cryptographic with protocol with secure with communications).ti. and (device with authent$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:38
S27	3	(cryptographic with protocol with secure with communications).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:40

S28	2	ep-535863-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:41
S29	33	(network with attached with device) with authent$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:42
S30	5	(network with attached with device) with authent$ and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:42
S31	0	(network with attached with device) with authent$ and cosole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:42
S32	5	(network with attached with device) with authent$ and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:43
S33	4	(network with attached with device) with authent$ and operator and (user with authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:43
S34	364	(network with device) with authent$ and operator and (user with authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:44
S35	322	(network with device) with authent$ and operator and (user with authentication) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:44
S36	1	(authentication with EKE with encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:45
S37	15	(authentication with EKE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:31

S38	1	(qsecofr)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:32
S39	0	(qsecofr) and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:32
S40	2	(console with configuration) and (default with IDS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:34
S41	0	(Secure with console with configuration).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:35
S42	1	(Secure with console with configuration).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:35
S43	25	(Secure with console with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:36
S44	1481	(713/1).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:36
S45	99	(713/1).ccls. and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:36
S46	84	(713/1).ccls. and console and access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:37
S47	31	(713/1).ccls. and console and access and operator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:37

S48	0	(713/1).ccls. and console and access and operator and (device with authent$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:38
S49	50	("713"/$).ccls. and console and access and operator and (device with authent$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:55
S50	913	(device with identifier) and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:56
S51	9	(device with identifier) and console and (device with shared with secret)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:03
S52	0	(device with authentication) with followed with (operator with authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:03
S53	141	(device with authentication) with (operator with authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:04
S54	8	(device with authentication) with (operator with authentication) AND CONSOLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 08:47
S55	7	(Encrypt$ near1 key near1 exchange).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 08:54
S56	0	(BAUMAN WITH CONSOLE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 08:55
S57	40	(BAUMAN AND CONSOLE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 08:58

S58	1	(MARK WITH BAUMAN) AND CONSOLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:00
S59	1	(JOHN WITH BIRD) AND CONSOLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:00
S60	1	(JEFFREY WITH REMFERT) AND CONSOLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:00
S61	1	(JEFFREY WITH REMFERT) AND EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:00
S62	1	(MARK WITH BAUMAN) AND EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:00
S63	1	(JEFFREY WITH REMFERT) AND EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:00
S64	1	(JOHN WITH BIRD) AND EKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:42
S65	197	(PC WITH USED WITH CONSOLE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:42
S66	2	(PC NEAR1 USED NEAR1 CONSOLE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:45
S67	14	(SERVICE NEAR1 DEVICE NEAR1 AUTHENTICATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:46

S68	0	(SERVICE NEAR1 DEVICE NEAR1 AUTHENTICATION) AND CONSOLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:46
S69	14	(SERVICE NEAR1 DEVICE NEAR1 AUTHENTICATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:52
S70	1	(OPERATIONS NEAR1 CONSOLE NEAR1 ADMINISTRATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:53
S71	2547	(DEVICE NEAR1 AUTHENTICATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:54
S72	76	(DEVICE NEAR1 AUTHENTICATION) and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:54
S73	54	S72 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:20
S74	0	(console near1 consolidation near1 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:20
S75	1	(console near1 consolidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:21
S76	4696	(ccs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:21
S77	159	(ccs) and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:21

S78	0	(ccs) and (console with consolidation with system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:21
S79	0	(ccs) and (console with consolidation with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:22
S80	24	(console with configuration).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:49
S81	1	(secure with access with console with functions).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:49
S82	0	(secure with access with console with operations).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:49
S83	0	(secure with access with console with operation).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 10:49
S84	2	(secure with access with console).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 11:47
S85	0	(cosole adj authentication adj software adj applications)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 11:48
S86	1	(console adj authentication adj software adj applications)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 11:48
S87	1	(console adj authentication adj software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 11:48

| S88 | 14 | (console with authentication with software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/02 11:48 |